

Water Indicators

Indicator	Value	Description	Source
Overall Basin Risk (score)	2.84	Overall Basin Risk (score)	
Overall Basin Risk (rank)	55	Overall Basin Risk (rank)	
Physical risk (score)	2.67	Physical risk (score)	
Physical risk (rank)	92	Physical risk (rank)	
Regulatory risk (score)	2.19	Regulatory risk (score)	
Regulatory risk (rank)	146	Regulatory risk (rank)	
Reputation risk (score)	3.98	Reputation risk (score)	
Reputation risk (rank)	4	Reputation risk (rank)	
1. Quantity - Scarcity (score)	2.36	1. Quantity - Scarcity (score)	
1. Quantity - Scarcity (rank)	77	1. Quantity - Scarcity (rank)	
2. Quantity - Flooding (score)	3.02	2. Quantity - Flooding (score)	
2. Quantity - Flooding (rank)	105	2. Quantity - Flooding (rank)	
3. Quality (score)	3.13	3. Quality (score)	
3. Quality (rank)	85	3. Quality (rank)	
4. Ecosystem Service Status (score)	2.69	4. Ecosystem Service Status (score)	
4. Ecosystem Service Status (rank)	73	4. Ecosystem Service Status (rank)	
5. Enabling Environment (Policy & Laws) (score)	1.00	5. Enabling Environment (Policy & Laws) (score)	
5. Enabling Environment (Policy & Laws) (rank)	175	5. Enabling Environment (Policy & Laws) (rank)	
6. Institutions and Governance (score)	3.75	6. Institutions and Governance (score)	
6. Institutions and Governance (rank)	35	6. Institutions and Governance (rank)	
7. Management Instruments (score)	1.67	7. Management Instruments (score)	
7. Management Instruments (rank)	166	7. Management Instruments (rank)	
8 - Infrastructure & Finance (score)	2.35	8 - Infrastructure & Finance (score)	
8 - Infrastructure & Finance (rank)	83	8 - Infrastructure & Finance (rank)	
9. Cultural Diversity (score)	5.00	9. Cultural importance (score)	
9. Cultural Diversity (rank)	3	9. Cultural importance (rank)	
10. Biodiversity Importance (score)	2.87	10. Biodiversity importance (score)	

Country Overview - China

Indicator	Value	Description	Source
10. Biodiversity Importance (rank)	144	10. Biodiversity importance (rank)	
11. Media Scrutiny (score)	4.00	11. Media Scrutiny (score)	
11. Media Scrutiny (rank)	16	11. Media Scrutiny (rank)	
12. Conflict (score)	3.80	12. Conflict (score)	
12. Conflict (rank)	6	12. Conflict (rank)	
1.0 - Aridity (score)	2.35	The aridity risk indicator is based on the Global Aridity Index (Global-Aridity) and Global Potential Evapo-Transpiration (Global-PET) Geospatial data sets by Trabucco and Zomer (2009). These data sets provide information about the potential availability of water in regions with low water demand, thus they are used in the Water Risk Filter 5.0 to better account for deserts and other arid areas in the risk assessment.	Trabucco, A., & Zomer, R. J. (2009). Global potential evapo-transpiration (Global-PET) and global aridity index (Global-Aridity) geodatabase. CGIAR consortium for spatial information.
1.0 - Aridity (rank)	53	The aridity risk indicator is based on the Global Aridity Index (Global-Aridity) and Global Potential Evapo-Transpiration (Global-PET) Geospatial data sets by Trabucco and Zomer (2009). These data sets provide information about the potential availability of water in regions with low water demand, thus they are used in the Water Risk Filter 5.0 to better account for deserts and other arid areas in the risk assessment.	Trabucco, A., & Zomer, R. J. (2009). Global potential evapo-transpiration (Global-PET) and global aridity index (Global-Aridity) geodatabase. CGIAR consortium for spatial information.
1.1 - Water Depletion (score)	2.20	The water depletion risk indicator is based on annual average monthly net water depletion from Brauman et al. (2016). Their analysis is based on model outputs from the newest version of the integrated water resources model WaterGAP3 which measures water depletion as the ratio of water consumption-to-availability.	Brauman, K. A., Richter, B. D., Postel, S., Malsy, M., & Flörke, M. (2016). Water depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments. <i>Elem Sci Anth</i> , 4.
1.1 - Water Depletion (rank)	75	The water depletion risk indicator is based on annual average monthly net water depletion from Brauman et al. (2016). Their analysis is based on model outputs from the newest version of the integrated water resources model WaterGAP3 which measures water depletion as the ratio of water consumption-to-availability.	Brauman, K. A., Richter, B. D., Postel, S., Malsy, M., & Flörke, M. (2016). Water depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments. <i>Elem Sci Anth</i> , 4.
1.2 - Baseline Water Stress (score)	2.65	World Resources Institute's Baseline Water Stress measures the ratio of total annual water withdrawals to total available annual renewable supply, accounting for upstream consumptive use. A higher percentage indicates more competition among users.	Hofste, R., Kuzma, S., Walker, S., ... & Sutanudjaja, E.H. (2019). <i>Aqueduct 3.0: Updated decision relevant global water risk indicators</i> . Technical note. Washington, DC: World Resources Institute.

Country Overview - China

Indicator	Value	Description	Source
1.2 - Baseline Water Stress (rank)	75	World Resources Institute's Baseline Water Stress measures the ratio of total annual water withdrawals to total available annual renewable supply, accounting for upstream consumptive use. A higher percentage indicates more competition among users.	Hofste, R., Kuzma, S., Walker, S., ... & Sutanudjaja, E.H. (2019). Aqueduct 3.0: Updated decision relevant global water risk indicators. Technical note. Washington, DC: World Resources Institute.
1.3 - Blue Water Scarcity (score)	2.73	The blue water scarcity risk indicator is based on Mekonnen and Hoekstra (2016) global assessment of blue water scarcity on a monthly basis and at high spatial resolution (grid cells of 30 × 30 arc min resolution). Blue water scarcity is calculated as the ratio of the blue water footprint in a grid cell to the total blue water availability in the cell. The time period analyzed in this study ranges from 1996 to 2005.	Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. <i>Science advances</i> , 2(2), e1500323.
1.3 - Blue Water Scarcity (rank)	89	The blue water scarcity risk indicator is based on Mekonnen and Hoekstra (2016) global assessment of blue water scarcity on a monthly basis and at high spatial resolution (grid cells of 30 × 30 arc min resolution). Blue water scarcity is calculated as the ratio of the blue water footprint in a grid cell to the total blue water availability in the cell. The time period analyzed in this study ranges from 1996 to 2005.	Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. <i>Science advances</i> , 2(2), e1500323.
1.4 - Projected Change in Water Discharge (by ~2050) (score)	1.36	This risk indicator is based on multi-model simulation that applies both global climate and hydrological models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). To estimate the change at 2°C of global warming above 1980-2010 levels, simulated annual water discharge was averaged over a 31-year period with 2°C mean warming. Results are expressed in terms of relative change (%) in probability between present day (1980-2010) conditions and 2°C scenarios by 2050.	Schewe, J., Heinke, J., Gerten, D., Haddeland, I., Arnell, N. W., Clark, D. B., ... & Gosling, S. N. (2014). Multimodel assessment of water scarcity under climate change. <i>Proceedings of the National Academy of Sciences</i> , 111(9), 3245-3250.
1.4 - Projected Change in Water Discharge (by ~2050) (rank)	138	This risk indicator is based on multi-model simulation that applies both global climate and hydrological models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). To estimate the change at 2°C of global warming above 1980-2010 levels, simulated annual water discharge was averaged over a 31-year period with 2°C mean warming. Results are expressed in terms of relative change (%) in probability between present day (1980-2010) conditions and 2°C scenarios by 2050.	Schewe, J., Heinke, J., Gerten, D., Haddeland, I., Arnell, N. W., Clark, D. B., ... & Gosling, S. N. (2014). Multimodel assessment of water scarcity under climate change. <i>Proceedings of the National Academy of Sciences</i> , 111(9), 3245-3250.

Country Overview - China

Indicator	Value	Description	Source
1.5 - Drought Frequency Probability (score)	1.97	This risk indicator is based on the Standardized Precipitation and Evaporation Index (SPEI). Vicente-Serrano et al. (2010) developed this multi-scalar drought index applying both precipitation and temperature data to detect, monitor and analyze different drought types and impacts in the context of global warming. The mathematical calculations used for SPEI are similar to the Standard Precipitation Index (SPI), but it has the advantage to include the role of evapotranspiration.	Vicente-Serrano, S. M., Beguería, S., & López-Moreno, J. I. (2010). A multiscale drought index sensitive to global warming: the standardized precipitation evapotranspiration index. <i>Journal of climate</i> , 23(7), 1696-1718.
1.5 - Drought Frequency Probability (rank)	143	This risk indicator is based on the Standardized Precipitation and Evaporation Index (SPEI). Vicente-Serrano et al. (2010) developed this multi-scalar drought index applying both precipitation and temperature data to detect, monitor and analyze different drought types and impacts in the context of global warming. The mathematical calculations used for SPEI are similar to the Standard Precipitation Index (SPI), but it has the advantage to include the role of evapotranspiration.	Vicente-Serrano, S. M., Beguería, S., & López-Moreno, J. I. (2010). A multiscale drought index sensitive to global warming: the standardized precipitation evapotranspiration index. <i>Journal of climate</i> , 23(7), 1696-1718.
1.6 - Projected Change in Drought Occurrence (by ~2050) (score)	3.00	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP) . A drought threshold for pre-industrial conditions was calculated based on time-series averages. Results are expressed in terms of relative change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
1.6 - Projected Change in Drought Occurrence (by ~2050) (rank)	88	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP) . A drought threshold for pre-industrial conditions was calculated based on time-series averages. Results are expressed in terms of relative change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
2.1 - Estimated Flood Occurrence (score)	3.05	This risk indicator is based on the recurrence of floods within the 34-year time frame period of 1985 to 2019. The occurrence of floods within a given location was estimated using data from Flood Observatory, University of Colorado. The Flood Observatory use data derived from a wide variety of news, governmental, instrumental, and remote sensing source.	Brakenridge, G. R. (2019). Global active archive of large flood events. Dartmouth Flood Observatory, University of Colorado.
2.1 - Estimated Flood Occurrence (rank)	104	This risk indicator is based on the recurrence of floods within the 34-year time frame period of 1985 to 2019. The occurrence of floods within a given location was estimated using data from Flood Observatory, University of Colorado. The Flood Observatory use data derived from a wide variety of news, governmental, instrumental, and remote sensing source.	Brakenridge, G. R. (2019). Global active archive of large flood events. Dartmouth Flood Observatory, University of Colorado.

Indicator	Value	Description	Source
2.2 - Projected Change in Flood Occurrence (by ~2050) (score)	2.41	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). The magnitude of the flood event was defined based on 100-year return period for pre-industrial conditions. Results are expressed in terms of change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
2.2 - Projected Change in Flood Occurrence (by ~2050) (rank)	87	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). The magnitude of the flood event was defined based on 100-year return period for pre-industrial conditions. Results are expressed in terms of change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
3.1 - Surface Water Contamination Index (score)	3.13	<p>The underlying data for this risk indicator is based on a broad suite of pollutants with well-documented direct or indirect negative effects on water security for both humans and freshwater biodiversity, compiled by Vörösmarty et al. (2010). The negative effects are specific to individual pollutants, ranging from impacts mediated by eutrophication such as algal blooms and oxygen depletion (e.g., caused by phosphorus and organic loading) to direct toxic effects (e.g., caused by pesticides, mercury).</p> <p>The overall Surface Water Contamination Index is calculated based on a range of key pollutants with different weightings according to the level of their negative effects on water security for both humans and freshwater biodiversity: soil salinization (8%), nitrogen (12%) and phosphorus (P, 13%) loading, mercury deposition (5%), pesticide loading (10%), sediment loading (17%), organic loading (as Biological Oxygen Demand, BOD; 15%), potential acidification (9%), and thermal alteration (11%).</p>	Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., ... & Davies, P. M. (2010). Global threats to human water security and river biodiversity. <i>Nature</i> , 467(7315), 555.

Indicator	Value	Description	Source
3.1 - Surface Water Contamination Index (rank)	85	<p>The underlying data for this risk indicator is based on a broad suite of pollutants with well-documented direct or indirect negative effects on water security for both humans and freshwater biodiversity, compiled by Vörösmarty et al. (2010). The negative effects are specific to individual pollutants, ranging from impacts mediated by eutrophication such as algal blooms and oxygen depletion (e.g., caused by phosphorus and organic loading) to direct toxic effects (e.g., caused by pesticides, mercury).</p> <p>The overall Surface Water Contamination Index is calculated based on a range of key pollutants with different weightings according to the level of their negative effects on water security for both humans and freshwater biodiversity: soil salinization (8%), nitrogen (12%) and phosphorus (P, 13%) loading, mercury deposition (5%), pesticide loading (10%), sediment loading (17%), organic loading (as Biological Oxygen Demand, BOD; 15%), potential acidification (9%), and thermal alteration (11%).</p>	Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., ... & Davies, P. M. (2010). Global threats to human water security and river biodiversity. <i>Nature</i> , 467(7315), 555.
4.1 - Fragmentation Status of Rivers (score)	3.13	<p>This risk indicator is based on the data set by Grill et al. (2019) mapping the world's free-flowing rivers. Grill et al. (2019) compiled a geometric network of the global river system and associated attributes, such as hydro-geometric properties, as well as pressure indicators to calculate an integrated connectivity status index (CSI). While only rivers with high levels of connectivity in their entire length are classified as free-flowing, rivers of CSI < 95% are considered as fragmented at a certain degree.</p>	Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., ... & Macedo, H. E. (2019). Mapping the world's free-flowing rivers. <i>Nature</i> , 569(7755), 215.
4.1 - Fragmentation Status of Rivers (rank)	51	<p>This risk indicator is based on the data set by Grill et al. (2019) mapping the world's free-flowing rivers. Grill et al. (2019) compiled a geometric network of the global river system and associated attributes, such as hydro-geometric properties, as well as pressure indicators to calculate an integrated connectivity status index (CSI). While only rivers with high levels of connectivity in their entire length are classified as free-flowing, rivers of CSI < 95% are considered as fragmented at a certain degree.</p>	Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., ... & Macedo, H. E. (2019). Mapping the world's free-flowing rivers. <i>Nature</i> , 569(7755), 215.
4.2 - Catchment Ecosystem Services Degradation Level (tree cover loss) (score)	1.43	<p>For this risk indicator, tree cover loss was applied as a proxy to represent catchment ecosystem services degradation since forests play an important role in terms of water regulation, supply and pollution control.</p> <p>The forest cover data is based on Hansen et al.'s global Landsat data at a 30-meter spatial resolution to characterize forest cover and change. The authors defined trees as vegetation taller than 5 meters in height, and forest cover loss as a stand-replacement disturbance, or a change from a forest to non-forest state, during the period 2000 – 2018.</p>	Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A. A., Tyukavina, A., ... & Kommareddy, A. (2013). High-resolution global maps of 21st-century forest cover change. <i>science</i> , 342(6160), 850-853.

Country Overview - China

Indicator	Value	Description	Source
4.2 - Catchment Ecosystem Services Degradation Level (tree cover loss) (rank)	123	<p>For this risk indicator, tree cover loss was applied as a proxy to represent catchment ecosystem services degradation since forests play an important role in terms of water regulation, supply and pollution control.</p> <p>The forest cover data is based on Hansen et al.'s global Landsat data at a 30-meter spatial resolution to characterize forest cover and change. The authors defined trees as vegetation taller than 5 meters in height, and forest cover loss as a stand-replacement disturbance, or a change from a forest to non-forest state, during the period 2000 – 2018.</p>	Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A. A., Tyukavina, A., ... & Kommareddy, A. (2013). High-resolution global maps of 21st-century forest cover change. <i>science</i> , 342(6160), 850-853.
4.3 - Projected Impacts on Freshwater Biodiversity (score)	2.74	The study by Tedesco et al. (2013) to project changes [% increase or decrease] in extinction rate by ~2090 of freshwater fish due to water availability loss from climate change is used as a proxy to estimate the projected impacts on freshwater biodiversity.	Tedesco, P. A., Oberdorff, T., Cornu, J. F., Beauchard, O., Brosse, S., Dürr, H. H., ... & Hugueny, B. (2013). A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 50(5), 1105-1115.
4.3 - Projected Impacts on Freshwater Biodiversity (rank)	82	The study by Tedesco et al. (2013) to project changes [% increase or decrease] in extinction rate by ~2090 of freshwater fish due to water availability loss from climate change is used as a proxy to estimate the projected impacts on freshwater biodiversity.	Tedesco, P. A., Oberdorff, T., Cornu, J. F., Beauchard, O., Brosse, S., Dürr, H. H., ... & Hugueny, B. (2013). A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 50(5), 1105-1115.
5.1 - Freshwater Policy Status (SDG 6.5.1) (score)	1.00	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Policy" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.1 - Freshwater Policy Status (SDG 6.5.1) (rank)	165	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Policy" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.2 - Freshwater Law Status (SDG 6.5.1) (score)	1.00	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Law(s)" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.

Indicator	Value	Description	Source
5.2 - Freshwater Law Status (SDG 6.5.1) (rank)	152	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National Water Resources Law(s)” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.3 - Implementation Status of Water Management Plans (SDG 6.5.1) (score)	1.00	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National IWRM plans” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.3 - Implementation Status of Water Management Plans (SDG 6.5.1) (rank)	170	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National IWRM plans” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
6.1 - Corruption Perceptions Index (score)	4.00	<p>This risk Indicator is based on the latest Transparency International's data: the Corruption Perceptions Index 2018. This index aggregates data from a number of different sources that provide perceptions of business people and country experts on the level of corruption in the public sector.</p>	Transparency International (2019). Corruption Perceptions Index 2018. Berlin: Transparency International.
6.1 - Corruption Perceptions Index (rank)	47	<p>This risk Indicator is based on the latest Transparency International's data: the Corruption Perceptions Index 2018. This index aggregates data from a number of different sources that provide perceptions of business people and country experts on the level of corruption in the public sector.</p>	Transparency International (2019). Corruption Perceptions Index 2018. Berlin: Transparency International.
6.2 - Freedom in the World Index (score)	5.00	<p>This risk indicator is based on Freedom House (2019), an annual global report on political rights and civil liberties, composed of numerical ratings and descriptive texts for each country and a select group of territories. The 2019 edition involved more than 100 analysts and more than 30 advisers with global, regional, and issue-based expertise to covers developments in 195 countries and 14 territories from January 1, 2018, through December 31, 2018.</p>	Freedom House (2019). Freedom in the world 2019. Washington, DC: Freedom House.

Indicator	Value	Description	Source
6.2 - Freedom in the World Index (rank)	21	This risk indicator is based on Freedom House (2019), an annual global report on political rights and civil liberties, composed of numerical ratings and descriptive texts for each country and a select group of territories. The 2019 edition involved more than 100 analysts and more than 30 advisers with global, regional, and issue-based expertise to covers developments in 195 countries and 14 territories from January 1, 2018, through December 31, 2018.	Freedom House (2019). Freedom in the world 2019. Washington, DC: Freedom House.
6.3 - Business Participation in Water Management (SDG 6.5.1) (score)	2.00	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Business Participation in Water Resources Development, Management and Use" indicator, which corresponds to one of the six national level indicators under the Institutions and Participation category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
6.3 - Business Participation in Water Management (SDG 6.5.1) (rank)	122	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Business Participation in Water Resources Development, Management and Use" indicator, which corresponds to one of the six national level indicators under the Institutions and Participation category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
7.1 - Management Instruments for Water Management (SDG 6.5.1) (score)	1.00	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Sustainable and efficient water use management" indicator, which corresponds to one of the five national level indicators under the Management Instruments category. For SDG 6.5.1, management instruments refer to the tools and activities that enable decision-makers and users to make rational and informed choices between alternative actions.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
7.1 - Management Instruments for Water Management (SDG 6.5.1) (rank)	159	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Sustainable and efficient water use management" indicator, which corresponds to one of the five national level indicators under the Management Instruments category. For SDG 6.5.1, management instruments refer to the tools and activities that enable decision-makers and users to make rational and informed choices between alternative actions.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.

Country Overview - China

Indicator	Value	Description	Source
7.2 - Groundwater Monitoring Data Availability and Management (score)	3.00	This risk indicator is based on the data set by UN IGRAC (2019) to determine the level of availability of groundwater monitoring data at country level as groundwater management decisions rely strongly on data availability. The level of groundwater monitoring data availability for groundwater management is determined according to a combination of three criteria developed by WWF and IGRAC: 1) Status of country groundwater monitoring programme, 2) groundwater data availability for NGOs and 3) Public access to processed groundwater monitoring data.	UN IGRAC (2019). Global Groundwater Monitoring Network GGMM Portal. UN International Groundwater Resources Assessment Centre (IGRAC).
7.2 - Groundwater Monitoring Data Availability and Management (rank)	60	This risk indicator is based on the data set by UN IGRAC (2019) to determine the level of availability of groundwater monitoring data at country level as groundwater management decisions rely strongly on data availability. The level of groundwater monitoring data availability for groundwater management is determined according to a combination of three criteria developed by WWF and IGRAC: 1) Status of country groundwater monitoring programme, 2) groundwater data availability for NGOs and 3) Public access to processed groundwater monitoring data.	UN IGRAC (2019). Global Groundwater Monitoring Network GGMM Portal. UN International Groundwater Resources Assessment Centre (IGRAC).
7.3 - Density of Runoff Monitoring Stations (score)	3.44	The density of monitoring stations for water quantity was applied as proxy to develop this risk indicator. The Global Runoff Data Base was used to estimate the number of monitoring stations per 1000km ² of the main river system (data base access date: May 2018).	BfG (2019). Global Runoff Data Base. German Federal Institute of Hydrology (BfG).
7.3 - Density of Runoff Monitoring Stations (rank)	92	The density of monitoring stations for water quantity was applied as proxy to develop this risk indicator. The Global Runoff Data Base was used to estimate the number of monitoring stations per 1000km ² of the main river system (data base access date: May 2018).	BfG (2019). Global Runoff Data Base. German Federal Institute of Hydrology (BfG).
8.1 - Access to Safe Drinking Water (score)	2.00	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.
8.1 - Access to Safe Drinking Water (rank)	76	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.
8.2 - Access to Sanitation (score)	3.00	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.

Indicator	Value	Description	Source
8.2 - Access to Sanitation (rank)	77	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.
8.3 - Financing for Water Resource Development and Management (SDG 6.5.1) (score)	1.00	This risk indicator is based on the average 'Financing' score of UN SDG 6.5.1. Degree of IWRM Implementation database. UN SDG 6.5.1 database contains a category on financing which assesses different aspects related to budgeting and financing made available and used for water resources development and management from various sources.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
8.3 - Financing for Water Resource Development and Management (SDG 6.5.1) (rank)	176	This risk indicator is based on the average 'Financing' score of UN SDG 6.5.1. Degree of IWRM Implementation database. UN SDG 6.5.1 database contains a category on financing which assesses different aspects related to budgeting and financing made available and used for water resources development and management from various sources.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
9.1 - Cultural Diversity (score)	5.00	Water is a social and cultural good. The cultural diversity risk indicator was included in order to acknowledge that businesses face reputational risk due to the importance of freshwater for indigenous and traditional people in their daily life, religion and culture. This risk indicator is based on Oviedo and Larsen (2000) data set, which mapped the world's ethnolinguistic groups onto the WWF map of the world's ecoregions. This cross-mapping showed for the very first time the significant overlap that exists between the global geographic distribution of biodiversity and that of linguistic diversity.	Oviedo, G., Maffi, L., & Larsen, P. B. (2000). Indigenous and traditional peoples of the world and ecoregion conservation: An integrated approach to conserving the world's biological and cultural diversity. Gland: WWF (World Wide Fund for Nature) International.
9.1 - Cultural Diversity (rank)	3	Water is a social and cultural good. The cultural diversity risk indicator was included in order to acknowledge that businesses face reputational risk due to the importance of freshwater for indigenous and traditional people in their daily life, religion and culture. This risk indicator is based on Oviedo and Larsen (2000) data set, which mapped the world's ethnolinguistic groups onto the WWF map of the world's ecoregions. This cross-mapping showed for the very first time the significant overlap that exists between the global geographic distribution of biodiversity and that of linguistic diversity.	Oviedo, G., Maffi, L., & Larsen, P. B. (2000). Indigenous and traditional peoples of the world and ecoregion conservation: An integrated approach to conserving the world's biological and cultural diversity. Gland: WWF (World Wide Fund for Nature) International.
10.1 - Freshwater Endemism (score)	2.79	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Companies operating in basins with higher number of endemic fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.

Country Overview - China

Indicator	Value	Description	Source
10.1 - Freshwater Endemism (rank)	147	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Companies operating in basins with higher number of endemic fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.
10.2 - Freshwater Biodiversity Richness (score)	2.95	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Count of fish species is used as a representation of freshwater biodiversity richness. Companies operating in basins with higher number of fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.
10.2 - Freshwater Biodiversity Richness (rank)	119	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Count of fish species is used as a representation of freshwater biodiversity richness. Companies operating in basins with higher number of fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.
11.1 - National Media Coverage (score)	4.00	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware local residents typically are of water-related issues due to national media coverage. The status of the river basin (e.g., scarcity and pollution) is taken into account, as well as the importance of water for livelihoods (e.g., food and shelter).	WWF & Tecnomia (TYPESA Group)
11.1 - National Media Coverage (rank)	29	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware local residents typically are of water-related issues due to national media coverage. The status of the river basin (e.g., scarcity and pollution) is taken into account, as well as the importance of water for livelihoods (e.g., food and shelter).	WWF & Tecnomia (TYPESA Group)
11.2 - Global Media Coverage (score)	4.00	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware people are of water-related issues due to global media coverage. Familiarity to and media coverage of the region and regional water-related disasters are taken into account.	WWF & Tecnomia (TYPESA Group)
11.2 - Global Media Coverage (rank)	16	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware people are of water-related issues due to global media coverage. Familiarity to and media coverage of the region and regional water-related disasters are taken into account.	WWF & Tecnomia (TYPESA Group)

Country Overview - China

Indicator	Value	Description	Source
12.1 - Conflict News Events (RepRisk) (score)	5.00	This risk indicator is based on 2018 data collected by RepRisk on counts and registers of documented negative incidents, criticism and controversies that can affect a company's reputational risk. These negative news events are labelled per country and industry class.	RepRisk & WWF (2019). Due diligence database on ESG and business conduct risks. RepRisk.
12.1 - Conflict News Events (RepRisk) (rank)	3	This risk indicator is based on 2018 data collected by RepRisk on counts and registers of documented negative incidents, criticism and controversies that can affect a company's reputational risk. These negative news events are labelled per country and industry class.	RepRisk & WWF (2019). Due diligence database on ESG and business conduct risks. RepRisk.
12.2 - Hydro-political Risk (score)	2.59	This risk indicator is based on the assessment of hydro-political risk by Farinosi et al. (2018). More specifically, it is based on the results of spatial modelling by Farinosi et al. (2018) that determined the main parameters affecting water cross-border conflicts and calculated the likelihood of hydro-political issues.	Farinosi, F., Giupponi, C., Reynaud, A., Ceccherini, G., Carmona-Moreno, C., De Roo, A., ... & Bidoglio, G. (2018). An innovative approach to the assessment of hydro-political risk: A spatially explicit, data driven indicator of hydro-political issues. <i>Global environmental change</i> , 52, 286-313.
12.2 - Hydro-political Risk (rank)	74	This risk indicator is based on the assessment of hydro-political risk by Farinosi et al. (2018). More specifically, it is based on the results of spatial modelling by Farinosi et al. (2018) that determined the main parameters affecting water cross-border conflicts and calculated the likelihood of hydro-political issues.	Farinosi, F., Giupponi, C., Reynaud, A., Ceccherini, G., Carmona-Moreno, C., De Roo, A., ... & Bidoglio, G. (2018). An innovative approach to the assessment of hydro-political risk: A spatially explicit, data driven indicator of hydro-political issues. <i>Global environmental change</i> , 52, 286-313.
Population, total (#)	1378665000	Population, total	The World Bank 2018, Data , homepage accessed 20/04/2018
GDP (current US\$)	11199145157649	GDP (current US\$)	The World Bank 2018, Data , homepage accessed 20/04/2018
EPI 2018 score (0-100)	50.74	Environmental Performance Index	
WGI -Voice and Accountability (0-100)	27.14	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, <i>The Worldwide Governance Indicators: Methodology and Analytical Issues</i> (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132

Country Overview - China

Indicator	Value	Description	Source
WGI -Political stability no violence (0-100)	6.90	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132
WGI - Government Effectiveness (0-100)	67.79	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132
WGI - Regulatory Quality (0-100)	44.23	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132
WGI - Rule of Law (0-100)	46.15	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132
WGI - Control of Corruption (0-100)	49.04	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132

Country Overview - China

Indicator	Value	Description	Source
WRI BWS all industries (0-5)	2.94	WRI Baseline Water Stress (BWS)	Gassert, F., P. Reig, T. Luo, and A. Maddocks. 2013. "Aqueduct country and river basin rankings: a weighted aggregation of spatially distinct hydrological indicators." Working paper. Washington, DC: World Resources Institute, December 2013. Available online at http://wri.org/publication/aqueduct-country-river-basin-rankings .
WRI BWS Ranking (1=very high)	69	WRI Baseline Water Stress (BWS)	Gassert, F., P. Reig, T. Luo, and A. Maddocks. 2013. "Aqueduct country and river basin rankings: a weighted aggregation of spatially distinct hydrological indicators." Working paper. Washington, DC: World Resources Institute, December 2013. Available online at http://wri.org/publication/aqueduct-country-river-basin-rankings .
Baseline Water Stress (BWS) - 2020 BAU (1=very high)	46	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2020 Optimistic (increasing rank describes lower risk)	46	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2020 Pessimistic (increasing rank describes lower risk)	46	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .

Country Overview - China

Indicator	Value	Description	Source
Baseline Water Stress (BWS) - 2030 BAU (increasing rank describes lower risk)	47	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2030 Optimistic (increasing rank describes lower risk)	46	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2030 Pessimistic (increasing rank describes lower risk)	46	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2040 BAU (increasing rank describes lower risk)	48	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2040 Optimistic (increasing rank describes lower risk)	47	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .
Baseline Water Stress (BWS) - 2040 Pessimistic (increasing rank describes lower risk)	47	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings .

Country Overview - China

Indicator	Value	Description	Source
Total water footprint of national consumption (m ³ /a/cap)	1071.09	WFN Water Footprint Data	Mekonnen, M.M. and Hoekstra, A.Y. (2011) National water footprint accounts: The green, blue and grey water footprint of production and consumption, Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands. http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf
Ratio external / total water footprint (%)	9.97	WFN Water Footprint Data	Mekonnen, M.M. and Hoekstra, A.Y. (2011) National water footprint accounts: The green, blue and grey water footprint of production and consumption, Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands. http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf
Area equipped for full control irrigation: total (1000 ha)	69863.00	Aquastat - Irrigation	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Area equipped for irrigation: total (1000 ha)	69863.00	Aquastat - Irrigation	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
% of the area equipped for irrigation actually irrigated (%)	83.66	Aquastat - Irrigation	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Electricity production from hydroelectric sources (% of total)	18.55	World Development Indicators	The World Bank 2018, Data , homepage accessed 20/04/2018
Total internal renewable water resources (IRWR) (10 ⁹ m ³ /year)	2813.00	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Total internal renewable water resources (IRWR) (10 ⁹ m ³ /year)	27.32	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Water resources: total external renewable (10 ⁹ m ³ /year)	2813.00	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13

Country Overview - China

Indicator	Value	Description	Source
Total renewable water resources (10 ⁹ m ³ /year)	2840.00	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Dependency ratio (%)	0.96	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Total renewable water resources per capita (m ³ /inhab/year)	2018.00	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
World happiness [0-8]	5.25	WorldHappinessReport.org	World Happiness Report, homepage accessed 20/04/2018

Country Aspects

1. PHYSICAL ASPECTS

1.1. WATER RESOURCES

1.1.1. WATER RESOURCES

The average annual river runoff generated within the country is 2,711.5km³. Precipitation makes up 98 per cent of total river runoff, the remaining 2 per cent coming from melting glaciers.

China can be divided into nine main river basin groups. In the north are the Song-Liao or Heilong (Amur)-Songhua, the Huai, the Huang (Yellow), the Hai-Luan and the interior or endoreic river basin groups. The total average annual internal renewable surface water resources (IRSWR) in these five river basin groups are estimated at 535.5km³, which is almost 20 per cent of the IRSWR of the country. In the south are the Chang (Yangtze), the Zhu (Pearl) and the southwest and southeast river basin groups. The total average annual IRSWR in these four river basin groups are estimated at 2,176.2 km³, which is just over 80 percent of the IRSWR of the country.

In total, there are more than 50,000 rivers with basin areas of over 100km², 1,500 of which have a basin exceeding 1,000km². Rivers can be classified in two categories: rivers discharging into seas (outflowing rivers) and inland rivers running into depressions in the interior (endoreic basins). The total drainage area of the rivers flowing to the sea covers about 65 per cent of the country's territory, by far the greater part draining to the Pacific Ocean and small areas draining to the Indian Ocean and the Arctic Ocean. Endoreic river basins cover the remaining 35 per cent of the country's total area.

1.1.2. WATER USE

In 2005, total water withdrawal was estimated at 554.1km³, of which 65 per cent (358km³) was for irrigation, 12 per cent (67.5km³) for municipal use and 23 per cent (128.6km³) for industry. In 1993, total water withdrawal was 525.5km³, of which 77 per cent (407.7km³) was for irrigation, 5 per cent (25.2km³) for municipal use, and 18 per cent (92.6km³) for industrial use.

Agriculture is the main water withdrawal sector, but only 45 per cent is actually consumed by crops due to low efficiency in irrigation systems. However, this figure is comparatively high considering the cropping structure. The relatively poor water productivity in the country, US\$3.6 per m³, is lower than the average of US\$4.8 per m³ in middle-income countries, and much lower than the US\$35.8 per m³ in high-income countries. The United Nations predicts that China's population will increase from 1.2 billion to 1.5 billion between 2000 and 2030. The rapid urbanization of the population is expected to push demand to new heights. The expanding industrial sector is also greedy for water. The recycling rate in the industrial sector is only 40 per cent, compared to 75-85 per cent in developed countries.

1.2. WATER QUALITY, ECOSYSTEMS AND HUMAN HEALTH

China's major environmental problems are: acid rain resulting from air pollution (greenhouse gases, sulphur dioxide particulates) from reliance on coal; water shortages, particularly in the north; water pollution; deforestation; the estimated loss of one fifth of agricultural land since 1949 to soil erosion and economic development; desertification; trade in endangered species.

The first Law for Water Pollution Control came into force in 1984. This law soon became insufficient to meet the needs of economic development and environmental protection for several reasons: water pollution continued to increase, the targets of water pollution control changed greatly, and the legal measures for the control of point sources were unable to stop the decline of water quality. The law was therefore amended in 1996. Adopted in 2008, the newly amended version provides more detailed measures for preventing and controlling water pollution from various sources, makes clearer specifications of the responsibilities of different stakeholders and strengthens legal liabilities for water pollution.

2. GOVERNANCE ASPECTS

2.1. WATER INSTITUTIONS

The main institutions involved in water resources management are:

- the Ministry of Water Resources (MWR): responsible for integrated water resource management, water resource protection planning, water function zoning, and monitoring water quantity and quality in rivers and lakes; issues water resource extraction permits; proposes water pricing policy;
- the Ministry of Environmental Protection (MEP): responsible for water pollution laws, regulations/standards, supervision/enforcement, water environmental function zoning, water pollution mapping in key rivers and lakes, and monitoring water quality;
- the Ministry of Housing and Urban and Rural Construction (MHURC): responsible for urban water supply and urban wastewater treatment;
- the Ministry of Agriculture (MOA): responsible for on-farm water management and preventing agricultural non-point pollution;
- the Ministry of Land and Resources (ML&R): responsible for water as a resource and land use planning;
- the State Forest Administration: responsible conserving water sources in the context of wetlands and forests;
- the Ministry of Transportation: responsible for ship transportation water pollution control;
- the National Development and Reform Commission: responsible for pollution levy policy, wastewater treatment pricing policy, water pricing policy, and industrial policies that affect wastewater discharge and its treatment as well as large water infrastructure

- the Ministry of Finance: responsible for pollution levy proceeds management; manages wastewater treatment charges, water resource fee policy, and the State Office of Comprehensive Agricultural Development;
- the State Council: responsible for all ministries, and is also responsible to approve large water infrastructure, sector strategy and plans, river basin management plans, and can issue other regulations and orders;
- the National People's Congress: responsible for legislation, law, and supervision;
- the Local Water Resources Management Department: responsible for water administration at provincial level. Each province has a Water Resource Bureau responsible for the planning, survey, design, construction, operation and management of irrigation, drainage, flood control works and rural hydro-electricity. Water resources bureaux at the prefecture and county levels are directly responsible for the construction and maintenance of main and secondary canals, associated irrigation and flood control structures, and medium-sized reservoirs. Townships and villages share responsibility for constructing and maintaining branch canals, ancillary works, and small reservoirs;
- River Basin Management Commissions (RBMC): subordinate organizations of the MWR for its seven large river/lake basins (six river basin management commissions and the Lake Tai Basin Management Agency); responsible for preparing basin-wide water allocation plans and providing technical direction and guidance to local governments within the basin

2.2. WATER MANAGEMENT

The following developments have taken place in recent years.

Water management: China adopted the integrated water resources management (IWRM) approach, as outlined in the amended new Water Law. Water productivity, water pollution protection, demand management and environmental concern are key policy features and are mainstreamed into planning and procedures such as specific water allocation for environmental use. Attention is being given to the zoning of water function bodies, the formulation of macro water allocations and micro water quotas, basin level resources management to protect the Huang river from drying up, special water diversion projects for ecosystems, and the establishment of a water-saving society.

Water development: this shifted from expansion to improvement. There are limited new water resource development projects, and highest priority is given to improving water use efficiency, productivity and quality.

Water environment: China implemented the largest ecosystem improvement programme in its history, at a cost of US\$43 billion, aimed at restoring water bodies from farmland, restoring forestry from cultivation and restoring grazing from farming. Large numbers of small high-pollution plants along the rivers have been closed. The largest drinking water improvement programme in China's history, whereby millions of people gained access to safe drinking water, has also been implemented. The programme has lasted 10 years, with an average annual investment of US\$2 billion.

Water system management: China issued a new management policy and rules, grouping water infrastructures and management agencies into three categories (public services, semi-public services and commercial services), and implemented different management and financing policies for different systems. Environmental services are recognized and covered by government funds.

Irrigation development: over ten years, China implemented large-scale irrigation improvement programmes aiming at improving water use efficiency and productivity, with an annual investment of around US\$2 billion. In the past 10 years, nationwide agricultural water use efficiency increased by 10 per cent and food production increased while the water withdrawal amount reduced. The government target is to produce enough food for the 2030 population while keeping the total water allocation for agriculture within the current scope.

In recent years, Water Users' Associations (WUAs) have become a very popular form of public participation in water management in rural China. In October 2005, the MWR, the National Development Reform Commission (NDRC), and the Ministry of Civil Affairs jointly promulgated the Guidance for Facilitating Establishment of Farmer Water Users' Associations, specifying principles and procedures for establishing such associations and their roles and responsibilities in relation to governmental organizations and water supply enterprises. According to the MWR, water users' participation in irrigation water management had taken place in 30 provinces/municipalities across China by mid-2007. More than 20,000 organizations of farmer water users, mostly in the form of WUAs, have been established, involving more than 60 million farmers participating in water management on behalf of end-users of water.

2.3. WATER POLICY AND LEGAL FRAMEWORK

China's Water Law was enacted in 1988 and establishes principles, general guidelines and technical standards for water resources management. In 2002, the Chinese government amended the Water Law to establish a legal foundation for integrated water resources management and demand management. The amended Water Law enshrines the principles that everybody should have access to safe water and that water conservation and protection are a priority. It focuses on five areas of water resources management: water allocation, water rights and water withdrawal permits, river basin management, water use efficiency and conservation, and the protection of water resources from pollution. According to this law, all water resources, except those in ponds and reservoirs belonging to rural collectives, are owned by the state and the State Council exercises the right of ownership on behalf of the state. In reality, the State Council has delegated water ownership rights to local governments under the supervision of the MWR.

The 1991 Water and Soil Conservation Law recognized the interrelationship between water resources and soil (land) conditions. The primary purposes of this law are the prevention and control of soil erosion, the protection and rational utilization of water and soil resources, the mitigation of disasters from floods, droughts and sandstorms, and the improvement of the ecological environment and development of production.

The 1997 Flood Control Law is the first law for the prevention and control of natural disasters (although there have been previous administrative regulations promulgated under the water and

other laws) and thus filled a gap in the water legislation system. The objective of this law is to address the specific nature of the causes of floods and the remediation measures to be taken in order to prevent and control floods. The law introduces the important mechanism of designating 'planned reserve zones' in which special rules may apply regarding the use of and activities within the area. It further provides specific requirements for the operation of reservoirs and other hydraulic works, for multiple-use considerations in river course realignments and lake embankments, and for the preparation of flood impact assessment for any projects in flood-prone areas.

The Chinese fascination with water, the role the Chinese assign to water in their cosmology and their use of water for religious purposes can be explained, in part, by the exigencies of Chinese geography. Around 90 per cent of China is covered by mountains. Most are uninhabitable; all are unusual as sites for human habitation. As a result, the Chinese have historically been crowded into river valleys, coastal regions and the plains formed by river deltas. Chinese society and culture exist within this topography, a topography of mountains and rivers. This is reflected in the Chinese word for landscape or geographical setting, xan-xue ('mountains and water'), and is also reflected in one of the most well-known dictums of Confucius: 'The man of learning and refinement takes pleasure in mountains and water.'

3. GEOPOLITICAL ASPECTS

There are 13 border rivers, with North Korea, Russia, Mongolia, Central Asian countries (Kazakhstan, Kyrgyzstan, Tajikistan), Afghanistan, Pakistan, India, Nepal, Bhutan, Myanmar, Laos, Vietnam. The main course of the Heilong river and its upstream tributaries (the Ergun and Wusuli rivers) flow for some distance along the border between China and the Russian Federation. After receiving the flow of the Songhua river (10.9km³/year), the Heilong flows into the Russian Federation. The total flow of the Heilong and Songhua rivers (117km³/year) is considered as flowing out of China, while the resources before flowing out have already been included in the IRSWR.

The Tumen and Yalu rivers flow along the border between China and the Democratic People's Republic of Korea. However, the corresponding flow is not considered as outflowing as these rivers do not leave Chinese territory. Half of the total flow of 20.3km³/year of these rivers (10.15 km³/year) is counted for each country.

In 1994, an agreement was signed between China and Mongolia on the protection of transboundary water resources concerning Lake Buir, the Kherlen, Bulgan, Khalkh rivers, and eighty-seven small lakes and rivers located near the border.