

Water Indicators

| Indicator | Value | Description | Source |
|---|-------|---|--------|
| Overall Basin Risk (score) | 2.63 | Overall Basin Risk (score) | |
| Overall Basin Risk (rank) | 100 | Overall Basin Risk (rank) | |
| Physical risk (score) | 2.68 | Physical risk (score) | |
| Physical risk (rank) | 90 | Physical risk (rank) | |
| Regulatory risk (score) | 3.00 | Regulatory risk (score) | |
| Regulatory risk (rank) | 67 | Regulatory risk (rank) | |
| Reputation risk (score) | 2.13 | Reputation risk (score) | |
| Reputation risk (rank) | 175 | Reputation risk (rank) | |
| 1. Quantity - Scarcity (score) | 1.81 | 1. Quantity - Scarcity (score) | |
| 1. Quantity - Scarcity (rank) | 133 | 1. Quantity - Scarcity (rank) | |
| 2. Quantity - Flooding (score) | 3.84 | 2. Quantity - Flooding (score) | |
| 2. Quantity - Flooding (rank) | 50 | 2. Quantity - Flooding (rank) | |
| 3. Quality (score) | 3.16 | 3. Quality (score) | |
| 3. Quality (rank) | 83 | 3. Quality (rank) | |
| 4. Ecosystem Service Status (score) | 3.50 | 4. Ecosystem Service Status (score) | |
| 4. Ecosystem Service Status (rank) | 17 | 4. Ecosystem Service Status (rank) | |
| 5. Enabling Environment (Policy & Laws) (score) | 2.30 | 5. Enabling Environment (Policy & Laws) (score) | |
| 5. Enabling Environment (Policy & Laws) (rank) | 119 | 5. Enabling Environment (Policy & Laws) (rank) | |
| 6. Institutions and Governance (score) | 3.00 | 6. Institutions and Governance (score) | |
| 6. Institutions and Governance (rank) | 96 | 6. Institutions and Governance (rank) | |
| 7. Management Instruments (score) | 2.91 | 7. Management Instruments (score) | |
| 7. Management Instruments (rank) | 88 | 7. Management Instruments (rank) | |
| 8 - Infrastructure & Finance (score) | 4.55 | 8 - Infrastructure & Finance (score) | |
| 8 - Infrastructure & Finance (rank) | 17 | 8 - Infrastructure & Finance (rank) | |
| 9. Cultural Diversity (score) | 1.00 | 9. Cultural importance (score) | |
| 9. Cultural Diversity (rank) | 162 | 9. Cultural importance (rank) | |
| 10. Biodiversity Importance (score) | 2.00 | 10. Biodiversity importance (score) | |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|-------------------------------------|-------|--|---|
| 10. Biodiversity Importance (rank) | 183 | 10. Biodiversity importance (rank) | |
| 11. Media Scrutiny (score) | 2.55 | 11. Media Scrutiny (score) | |
| 11. Media Scrutiny (rank) | 117 | 11. Media Scrutiny (rank) | |
| 12. Conflict (score) | 2.19 | 12. Conflict (score) | |
| 12. Conflict (rank) | 130 | 12. Conflict (rank) | |
| 1.0 - Aridity (score) | 1.80 | The aridity risk indicator is based on the Global Aridity Index (Global-Aridity) and Global Potential Evapo-Transpiration (Global-PET) Geospatial data sets by Trabucco and Zomer (2009). These data sets provide information about the potential availability of water in regions with low water demand, thus they are used in the Water Risk Filter 5.0 to better account for deserts and other arid areas in the risk assessment. | Trabucco, A., & Zomer, R. J. (2009). Global potential evapo-transpiration (Global-PET) and global aridity index (Global-Aridity) geodatabase. CGIAR consortium for spatial information. |
| 1.0 - Aridity (rank) | 72 | The aridity risk indicator is based on the Global Aridity Index (Global-Aridity) and Global Potential Evapo-Transpiration (Global-PET) Geospatial data sets by Trabucco and Zomer (2009). These data sets provide information about the potential availability of water in regions with low water demand, thus they are used in the Water Risk Filter 5.0 to better account for deserts and other arid areas in the risk assessment. | Trabucco, A., & Zomer, R. J. (2009). Global potential evapo-transpiration (Global-PET) and global aridity index (Global-Aridity) geodatabase. CGIAR consortium for spatial information. |
| 1.1 - Water Depletion (score) | 1.16 | The water depletion risk indicator is based on annual average monthly net water depletion from Brauman et al. (2016). Their analysis is based on model outputs from the newest version of the integrated water resources model WaterGAP3 which measures water depletion as the ratio of water consumption-to-availability. | Brauman, K. A., Richter, B. D., Postel, S., Malsy, M., & Flörke, M. (2016). Water depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments. <i>Elem Sci Anth</i> , 4. |
| 1.1 - Water Depletion (rank) | 126 | The water depletion risk indicator is based on annual average monthly net water depletion from Brauman et al. (2016). Their analysis is based on model outputs from the newest version of the integrated water resources model WaterGAP3 which measures water depletion as the ratio of water consumption-to-availability. | Brauman, K. A., Richter, B. D., Postel, S., Malsy, M., & Flörke, M. (2016). Water depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments. <i>Elem Sci Anth</i> , 4. |
| 1.2 - Baseline Water Stress (score) | 2.21 | World Resources Institute's Baseline Water Stress measures the ratio of total annual water withdrawals to total available annual renewable supply, accounting for upstream consumptive use. A higher percentage indicates more competition among users. | Hofste, R., Kuzma, S., Walker, S., ... & Sutanudjaja, E.H. (2019). <i>Aqueduct 3.0: Updated decision relevant global water risk indicators</i> . Technical note. Washington, DC: World Resources Institute. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|--|-------|--|--|
| 1.2 - Baseline Water Stress (rank) | 80 | World Resources Institute's Baseline Water Stress measures the ratio of total annual water withdrawals to total available annual renewable supply, accounting for upstream consumptive use. A higher percentage indicates more competition among users. | Hofste, R., Kuzma, S., Walker, S., ... & Sutanudjaja, E.H. (2019). Aqueduct 3.0: Updated decision relevant global water risk indicators. Technical note. Washington, DC: World Resources Institute. |
| 1.3 - Blue Water Scarcity (score) | 1.57 | The blue water scarcity risk indicator is based on Mekonnen and Hoekstra (2016) global assessment of blue water scarcity on a monthly basis and at high spatial resolution (grid cells of 30 × 30 arc min resolution). Blue water scarcity is calculated as the ratio of the blue water footprint in a grid cell to the total blue water availability in the cell. The time period analyzed in this study ranges from 1996 to 2005. | Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. <i>Science advances</i> , 2(2), e1500323. |
| 1.3 - Blue Water Scarcity (rank) | 139 | The blue water scarcity risk indicator is based on Mekonnen and Hoekstra (2016) global assessment of blue water scarcity on a monthly basis and at high spatial resolution (grid cells of 30 × 30 arc min resolution). Blue water scarcity is calculated as the ratio of the blue water footprint in a grid cell to the total blue water availability in the cell. The time period analyzed in this study ranges from 1996 to 2005. | Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. <i>Science advances</i> , 2(2), e1500323. |
| 1.4 - Projected Change in Water Discharge (by ~2050) (score) | 2.85 | This risk indicator is based on multi-model simulation that applies both global climate and hydrological models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). To estimate the change at 2°C of global warming above 1980-2010 levels, simulated annual water discharge was averaged over a 31-year period with 2°C mean warming. Results are expressed in terms of relative change (%) in probability between present day (1980-2010) conditions and 2°C scenarios by 2050. | Schewe, J., Heinke, J., Gerten, D., Haddeland, I., Arnell, N. W., Clark, D. B., ... & Gosling, S. N. (2014). Multimodel assessment of water scarcity under climate change. <i>Proceedings of the National Academy of Sciences</i> , 111(9), 3245-3250. |
| 1.4 - Projected Change in Water Discharge (by ~2050) (rank) | 29 | This risk indicator is based on multi-model simulation that applies both global climate and hydrological models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). To estimate the change at 2°C of global warming above 1980-2010 levels, simulated annual water discharge was averaged over a 31-year period with 2°C mean warming. Results are expressed in terms of relative change (%) in probability between present day (1980-2010) conditions and 2°C scenarios by 2050. | Schewe, J., Heinke, J., Gerten, D., Haddeland, I., Arnell, N. W., Clark, D. B., ... & Gosling, S. N. (2014). Multimodel assessment of water scarcity under climate change. <i>Proceedings of the National Academy of Sciences</i> , 111(9), 3245-3250. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|---|---|
| 1.5 - Drought Frequency Probability (score) | 1.73 | This risk indicator is based on the Standardized Precipitation and Evaporation Index (SPEI). Vicente-Serrano et al. (2010) developed this multi-scalar drought index applying both precipitation and temperature data to detect, monitor and analyze different drought types and impacts in the context of global warming. The mathematical calculations used for SPEI are similar to the Standard Precipitation Index (SPI), but it has the advantage to include the role of evapotranspiration. | Vicente-Serrano, S. M., Beguería, S., & López-Moreno, J. I. (2010). A multiscale drought index sensitive to global warming: the standardized precipitation evapotranspiration index. <i>Journal of climate</i> , 23(7), 1696-1718. |
| 1.5 - Drought Frequency Probability (rank) | 165 | This risk indicator is based on the Standardized Precipitation and Evaporation Index (SPEI). Vicente-Serrano et al. (2010) developed this multi-scalar drought index applying both precipitation and temperature data to detect, monitor and analyze different drought types and impacts in the context of global warming. The mathematical calculations used for SPEI are similar to the Standard Precipitation Index (SPI), but it has the advantage to include the role of evapotranspiration. | Vicente-Serrano, S. M., Beguería, S., & López-Moreno, J. I. (2010). A multiscale drought index sensitive to global warming: the standardized precipitation evapotranspiration index. <i>Journal of climate</i> , 23(7), 1696-1718. |
| 1.6 - Projected Change in Drought Occurrence (by ~2050) (score) | 3.00 | This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP) . A drought threshold for pre-industrial conditions was calculated based on time-series averages. Results are expressed in terms of relative change (%) in probability between pre-industrial and 2°C scenarios. | Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development. |
| 1.6 - Projected Change in Drought Occurrence (by ~2050) (rank) | 106 | This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP) . A drought threshold for pre-industrial conditions was calculated based on time-series averages. Results are expressed in terms of relative change (%) in probability between pre-industrial and 2°C scenarios. | Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development. |
| 2.1 - Estimated Flood Occurrence (score) | 3.94 | This risk indicator is based on the recurrence of floods within the 34-year time frame period of 1985 to 2019. The occurrence of floods within a given location was estimated using data from Flood Observatory, University of Colorado. The Flood Observatory use data derived from a wide variety of news, governmental, instrumental, and remote sensing source. | Brakenridge, G. R. (2019). Global active archive of large flood events. Dartmouth Flood Observatory, University of Colorado. |
| 2.1 - Estimated Flood Occurrence (rank) | 51 | This risk indicator is based on the recurrence of floods within the 34-year time frame period of 1985 to 2019. The occurrence of floods within a given location was estimated using data from Flood Observatory, University of Colorado. The Flood Observatory use data derived from a wide variety of news, governmental, instrumental, and remote sensing source. | Brakenridge, G. R. (2019). Global active archive of large flood events. Dartmouth Flood Observatory, University of Colorado. |

| Indicator | Value | Description | Source |
|---|-------|---|---|
| 2.2 - Projected Change in Flood Occurrence (by ~2050) (score) | 2.00 | This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). The magnitude of the flood event was defined based on 100-year return period for pre-industrial conditions. Results are expressed in terms of change (%) in probability between pre-industrial and 2°C scenarios. | Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development. |
| 2.2 - Projected Change in Flood Occurrence (by ~2050) (rank) | 135 | This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). The magnitude of the flood event was defined based on 100-year return period for pre-industrial conditions. Results are expressed in terms of change (%) in probability between pre-industrial and 2°C scenarios. | Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development. |
| 3.1 - Surface Water Contamination Index (score) | 3.16 | <p>The underlying data for this risk indicator is based on a broad suite of pollutants with well-documented direct or indirect negative effects on water security for both humans and freshwater biodiversity, compiled by Vörösmarty et al. (2010). The negative effects are specific to individual pollutants, ranging from impacts mediated by eutrophication such as algal blooms and oxygen depletion (e.g., caused by phosphorus and organic loading) to direct toxic effects (e.g., caused by pesticides, mercury).</p> <p>The overall Surface Water Contamination Index is calculated based on a range of key pollutants with different weightings according to the level of their negative effects on water security for both humans and freshwater biodiversity: soil salinization (8%), nitrogen (12%) and phosphorus (P, 13%) loading, mercury deposition (5%), pesticide loading (10%), sediment loading (17%), organic loading (as Biological Oxygen Demand, BOD; 15%), potential acidification (9%), and thermal alteration (11%).</p> | Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., ... & Davies, P. M. (2010). Global threats to human water security and river biodiversity. <i>Nature</i> , 467(7315), 555. |

| Indicator | Value | Description | Source |
|--|-------|---|--|
| 3.1 - Surface Water Contamination Index (rank) | 83 | <p>The underlying data for this risk indicator is based on a broad suite of pollutants with well-documented direct or indirect negative effects on water security for both humans and freshwater biodiversity, compiled by Vörösmarty et al. (2010). The negative effects are specific to individual pollutants, ranging from impacts mediated by eutrophication such as algal blooms and oxygen depletion (e.g., caused by phosphorus and organic loading) to direct toxic effects (e.g., caused by pesticides, mercury).</p> <p>The overall Surface Water Contamination Index is calculated based on a range of key pollutants with different weightings according to the level of their negative effects on water security for both humans and freshwater biodiversity: soil salinization (8%), nitrogen (12%) and phosphorus (P, 13%) loading, mercury deposition (5%), pesticide loading (10%), sediment loading (17%), organic loading (as Biological Oxygen Demand, BOD; 15%), potential acidification (9%), and thermal alteration (11%).</p> | Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., ... & Davies, P. M. (2010). Global threats to human water security and river biodiversity. <i>Nature</i> , 467(7315), 555. |
| 4.1 - Fragmentation Status of Rivers (score) | 4.35 | <p>This risk indicator is based on the data set by Grill et al. (2019) mapping the world's free-flowing rivers. Grill et al. (2019) compiled a geometric network of the global river system and associated attributes, such as hydro-geometric properties, as well as pressure indicators to calculate an integrated connectivity status index (CSI). While only rivers with high levels of connectivity in their entire length are classified as free-flowing, rivers of CSI < 95% are considered as fragmented at a certain degree.</p> | Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., ... & Macedo, H. E. (2019). Mapping the world's free-flowing rivers. <i>Nature</i> , 569(7755), 215. |
| 4.1 - Fragmentation Status of Rivers (rank) | 3 | <p>This risk indicator is based on the data set by Grill et al. (2019) mapping the world's free-flowing rivers. Grill et al. (2019) compiled a geometric network of the global river system and associated attributes, such as hydro-geometric properties, as well as pressure indicators to calculate an integrated connectivity status index (CSI). While only rivers with high levels of connectivity in their entire length are classified as free-flowing, rivers of CSI < 95% are considered as fragmented at a certain degree.</p> | Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., ... & Macedo, H. E. (2019). Mapping the world's free-flowing rivers. <i>Nature</i> , 569(7755), 215. |
| 4.2 - Catchment Ecosystem Services Degradation Level (tree cover loss) (score) | 1.02 | <p>For this risk indicator, tree cover loss was applied as a proxy to represent catchment ecosystem services degradation since forests play an important role in terms of water regulation, supply and pollution control. The forest cover data is based on Hansen et al.'s global Landsat data at a 30-meter spatial resolution to characterize forest cover and change. The authors defined trees as vegetation taller than 5 meters in height, and forest cover loss as a stand-replacement disturbance, or a change from a forest to non-forest state, during the period 2000 - 2018.</p> | Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A. A., Tyukavina, A., ... & Kommareddy, A. (2013). High-resolution global maps of 21st-century forest cover change. <i>science</i> , 342(6160), 850-853. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|--|---|
| 4.2 - Catchment Ecosystem Services Degradation Level (tree cover loss) (rank) | 146 | <p>For this risk indicator, tree cover loss was applied as a proxy to represent catchment ecosystem services degradation since forests play an important role in terms of water regulation, supply and pollution control.</p> <p>The forest cover data is based on Hansen et al.'s global Landsat data at a 30-meter spatial resolution to characterize forest cover and change. The authors defined trees as vegetation taller than 5 meters in height, and forest cover loss as a stand-replacement disturbance, or a change from a forest to non-forest state, during the period 2000 - 2018.</p> | Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A. A., Tyukavina, A., ... & Kommareddy, A. (2013). High-resolution global maps of 21st-century forest cover change. <i>science</i> , 342(6160), 850-853. |
| 4.3 - Projected Impacts on Freshwater Biodiversity (score) | 4.00 | The study by Tedesco et al. (2013) to project changes [% increase or decrease] in extinction rate by ~2090 of freshwater fish due to water availability loss from climate change is used as a proxy to estimate the projected impacts on freshwater biodiversity. | Tedesco, P. A., Oberdorff, T., Cornu, J. F., Beauchard, O., Brosse, S., Dürr, H. H., ... & Hugueny, B. (2013). A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 50(5), 1105-1115. |
| 4.3 - Projected Impacts on Freshwater Biodiversity (rank) | 29 | The study by Tedesco et al. (2013) to project changes [% increase or decrease] in extinction rate by ~2090 of freshwater fish due to water availability loss from climate change is used as a proxy to estimate the projected impacts on freshwater biodiversity. | Tedesco, P. A., Oberdorff, T., Cornu, J. F., Beauchard, O., Brosse, S., Dürr, H. H., ... & Hugueny, B. (2013). A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 50(5), 1105-1115. |
| 5.1 - Freshwater Policy Status (SDG 6.5.1) (score) | 2.00 | This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Policy" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 5.1 - Freshwater Policy Status (SDG 6.5.1) (rank) | 139 | This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Policy" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 5.2 - Freshwater Law Status (SDG 6.5.1) (score) | 2.00 | <p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Law(s)" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p> | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|---|---|
| 5.2 - Freshwater Law Status (SDG 6.5.1) (rank) | 127 | <p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National Water Resources Law(s)” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p> | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 5.3 - Implementation Status of Water Management Plans (SDG 6.5.1) (score) | 5.00 | <p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National IWRM plans” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p> | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 5.3 - Implementation Status of Water Management Plans (SDG 6.5.1) (rank) | 8 | <p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National IWRM plans” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p> | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 6.1 - Corruption Perceptions Index (score) | 3.00 | <p>This risk Indicator is based on the latest Transparency International's data: the Corruption Perceptions Index 2018. This index aggregates data from a number of different sources that provide perceptions of business people and country experts on the level of corruption in the public sector.</p> | Transparency International (2019). Corruption Perceptions Index 2018. Berlin: Transparency International. |
| 6.1 - Corruption Perceptions Index (rank) | 125 | <p>This risk Indicator is based on the latest Transparency International's data: the Corruption Perceptions Index 2018. This index aggregates data from a number of different sources that provide perceptions of business people and country experts on the level of corruption in the public sector.</p> | Transparency International (2019). Corruption Perceptions Index 2018. Berlin: Transparency International. |
| 6.2 - Freedom in the World Index (score) | 2.00 | <p>This risk indicator is based on Freedom House (2019), an annual global report on political rights and civil liberties, composed of numerical ratings and descriptive texts for each country and a select group of territories. The 2019 edition involved more than 100 analysts and more than 30 advisers with global, regional, and issue-based expertise to covers developments in 195 countries and 14 territories from January 1, 2018, through December 31, 2018.</p> | Freedom House (2019). Freedom in the world 2019. Washington, DC: Freedom House. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|--|---|
| 6.2 - Freedom in the World Index (rank) | 112 | This risk indicator is based on Freedom House (2019), an annual global report on political rights and civil liberties, composed of numerical ratings and descriptive texts for each country and a select group of territories. The 2019 edition involved more than 100 analysts and more than 30 advisers with global, regional, and issue-based expertise to covers developments in 195 countries and 14 territories from January 1, 2018, through December 31, 2018. | Freedom House (2019). Freedom in the world 2019. Washington, DC: Freedom House. |
| 6.3 - Business Participation in Water Management (SDG 6.5.1) (score) | 4.00 | This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Business Participation in Water Resources Development, Management and Use" indicator, which corresponds to one of the six national level indicators under the Institutions and Participation category. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 6.3 - Business Participation in Water Management (SDG 6.5.1) (rank) | 21 | This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Business Participation in Water Resources Development, Management and Use" indicator, which corresponds to one of the six national level indicators under the Institutions and Participation category. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 7.1 - Management Instruments for Water Management (SDG 6.5.1) (score) | 3.00 | This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Sustainable and efficient water use management" indicator, which corresponds to one of the five national level indicators under the Management Instruments category. For SDG 6.5.1, management instruments refer to the tools and activities that enable decision-makers and users to make rational and informed choices between alternative actions. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 7.1 - Management Instruments for Water Management (SDG 6.5.1) (rank) | 71 | This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Sustainable and efficient water use management" indicator, which corresponds to one of the five national level indicators under the Management Instruments category. For SDG 6.5.1, management instruments refer to the tools and activities that enable decision-makers and users to make rational and informed choices between alternative actions. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|--|---|
| 7.2 - Groundwater Monitoring Data Availability and Management (score) | 3.00 | This risk indicator is based on the data set by UN IGRAC (2019) to determine the level of availability of groundwater monitoring data at country level as groundwater management decisions rely strongly on data availability. The level of groundwater monitoring data availability for groundwater management is determined according to a combination of three criteria developed by WWF and IGRAC: 1) Status of country groundwater monitoring programme, 2) groundwater data availability for NGOs and 3) Public access to processed groundwater monitoring data. | UN IGRAC (2019). Global Groundwater Monitoring Network GGMM Portal. UN International Groundwater Resources Assessment Centre (IGRAC). |
| 7.2 - Groundwater Monitoring Data Availability and Management (rank) | 87 | This risk indicator is based on the data set by UN IGRAC (2019) to determine the level of availability of groundwater monitoring data at country level as groundwater management decisions rely strongly on data availability. The level of groundwater monitoring data availability for groundwater management is determined according to a combination of three criteria developed by WWF and IGRAC: 1) Status of country groundwater monitoring programme, 2) groundwater data availability for NGOs and 3) Public access to processed groundwater monitoring data. | UN IGRAC (2019). Global Groundwater Monitoring Network GGMM Portal. UN International Groundwater Resources Assessment Centre (IGRAC). |
| 7.3 - Density of Runoff Monitoring Stations (score) | 2.37 | The density of monitoring stations for water quantity was applied as proxy to develop this risk indicator. The Global Runoff Data Base was used to estimate the number of monitoring stations per 1000km ² of the main river system (data base access date: May 2018). | BfG (2019). Global Runoff Data Base. German Federal Institute of Hydrology (BfG). |
| 7.3 - Density of Runoff Monitoring Stations (rank) | 153 | The density of monitoring stations for water quantity was applied as proxy to develop this risk indicator. The Global Runoff Data Base was used to estimate the number of monitoring stations per 1000km ² of the main river system (data base access date: May 2018). | BfG (2019). Global Runoff Data Base. German Federal Institute of Hydrology (BfG). |
| 8.1 - Access to Safe Drinking Water (score) | 4.00 | This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017. | WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene. |
| 8.1 - Access to Safe Drinking Water (rank) | 32 | This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017. | WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene. |
| 8.2 - Access to Sanitation (score) | 5.00 | This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017. | WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|--|---|
| 8.2 - Access to Sanitation (rank) | 30 | This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017. | WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene. |
| 8.3 - Financing for Water Resource Development and Management (SDG 6.5.1) (score) | 5.00 | This risk indicator is based on the average 'Financing' score of UN SDG 6.5.1. Degree of IWRM Implementation database. UN SDG 6.5.1 database contains a category on financing which assesses different aspects related to budgeting and financing made available and used for water resources development and management from various sources. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 8.3 - Financing for Water Resource Development and Management (SDG 6.5.1) (rank) | 3 | This risk indicator is based on the average 'Financing' score of UN SDG 6.5.1. Degree of IWRM Implementation database. UN SDG 6.5.1 database contains a category on financing which assesses different aspects related to budgeting and financing made available and used for water resources development and management from various sources. | UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation. |
| 9.1 - Cultural Diversity (score) | 1.00 | Water is a social and cultural good. The cultural diversity risk indicator was included in order to acknowledge that businesses face reputational risk due to the importance of freshwater for indigenous and traditional people in their daily life, religion and culture. This risk indicator is based on Oviedo and Larsen (2000) data set, which mapped the world's ethnolinguistic groups onto the WWF map of the world's ecoregions. This cross-mapping showed for the very first time the significant overlap that exists between the global geographic distribution of biodiversity and that of linguistic diversity. | Oviedo, G., Maffi, L., & Larsen, P. B. (2000). Indigenous and traditional peoples of the world and ecoregion conservation: An integrated approach to conserving the world's biological and cultural diversity. Gland: WWF (World Wide Fund for Nature) International. |
| 9.1 - Cultural Diversity (rank) | 162 | Water is a social and cultural good. The cultural diversity risk indicator was included in order to acknowledge that businesses face reputational risk due to the importance of freshwater for indigenous and traditional people in their daily life, religion and culture. This risk indicator is based on Oviedo and Larsen (2000) data set, which mapped the world's ethnolinguistic groups onto the WWF map of the world's ecoregions. This cross-mapping showed for the very first time the significant overlap that exists between the global geographic distribution of biodiversity and that of linguistic diversity. | Oviedo, G., Maffi, L., & Larsen, P. B. (2000). Indigenous and traditional peoples of the world and ecoregion conservation: An integrated approach to conserving the world's biological and cultural diversity. Gland: WWF (World Wide Fund for Nature) International. |
| 10.1 - Freshwater Endemism (score) | 3.00 | The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Companies operating in basins with higher number of endemic fish species are exposed to higher reputational risks. | WWF & TNC (2015). Freshwater Ecoregions of the World. |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|---|---|
| 10.1 - Freshwater Endemism (rank) | 129 | The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Companies operating in basins with higher number of endemic fish species are exposed to higher reputational risks. | WWF & TNC (2015). Freshwater Ecoregions of the World. |
| 10.2 - Freshwater Biodiversity Richness (score) | 1.00 | The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Count of fish species is used as a representation of freshwater biodiversity richness. Companies operating in basins with higher number of fish species are exposed to higher reputational risks. | WWF & TNC (2015). Freshwater Ecoregions of the World. |
| 10.2 - Freshwater Biodiversity Richness (rank) | 193 | The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Count of fish species is used as a representation of freshwater biodiversity richness. Companies operating in basins with higher number of fish species are exposed to higher reputational risks. | WWF & TNC (2015). Freshwater Ecoregions of the World. |
| 11.1 - National Media Coverage (score) | 3.00 | This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware local residents typically are of water-related issues due to national media coverage. The status of the river basin (e.g., scarcity and pollution) is taken into account, as well as the importance of water for livelihoods (e.g., food and shelter). | WWF & Tecnomia (TYPESA Group) |
| 11.1 - National Media Coverage (rank) | 119 | This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware local residents typically are of water-related issues due to national media coverage. The status of the river basin (e.g., scarcity and pollution) is taken into account, as well as the importance of water for livelihoods (e.g., food and shelter). | WWF & Tecnomia (TYPESA Group) |
| 11.2 - Global Media Coverage (score) | 2.00 | This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware people are of water-related issues due to global media coverage. Familiarity to and media coverage of the region and regional water-related disasters are taken into account. | WWF & Tecnomia (TYPESA Group) |
| 11.2 - Global Media Coverage (rank) | 113 | This risk indicator is based on joint qualitative research by WWF and Tecnomia (Typsa Group). It indicates how aware people are of water-related issues due to global media coverage. Familiarity to and media coverage of the region and regional water-related disasters are taken into account. | WWF & Tecnomia (TYPESA Group) |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|------------|--|--|
| 12.1 - Conflict News Events (RepRisk) (score) | 1.00 | This risk indicator is based on 2018 data collected by RepRisk on counts and registers of documented negative incidents, criticism and controversies that can affect a company's reputational risk. These negative news events are labelled per country and industry class. | RepRisk & WWF (2019). Due diligence database on ESG and business conduct risks. RepRisk. |
| 12.1 - Conflict News Events (RepRisk) (rank) | 172 | This risk indicator is based on 2018 data collected by RepRisk on counts and registers of documented negative incidents, criticism and controversies that can affect a company's reputational risk. These negative news events are labelled per country and industry class. | RepRisk & WWF (2019). Due diligence database on ESG and business conduct risks. RepRisk. |
| 12.2 - Hydro-political Risk (score) | 3.38 | This risk indicator is based on the assessment of hydro-political risk by Farinosi et al. (2018). More specifically, it is based on the results of spatial modelling by Farinosi et al. (2018) that determined the main parameters affecting water cross-border conflicts and calculated the likelihood of hydro-political issues. | Farinosi, F., Giupponi, C., Reynaud, A., Ceccherini, G., Carmona-Moreno, C., De Roo, A., ... & Bidoglio, G. (2018). An innovative approach to the assessment of hydro-political risk: A spatially explicit, data driven indicator of hydro-political issues. <i>Global environmental change</i> , 52, 286-313. |
| 12.2 - Hydro-political Risk (rank) | 18 | This risk indicator is based on the assessment of hydro-political risk by Farinosi et al. (2018). More specifically, it is based on the results of spatial modelling by Farinosi et al. (2018) that determined the main parameters affecting water cross-border conflicts and calculated the likelihood of hydro-political issues. | Farinosi, F., Giupponi, C., Reynaud, A., Ceccherini, G., Carmona-Moreno, C., De Roo, A., ... & Bidoglio, G. (2018). An innovative approach to the assessment of hydro-political risk: A spatially explicit, data driven indicator of hydro-political issues. <i>Global environmental change</i> , 52, 286-313. |
| Population, total (#) | 2203821 | Population, total | The World Bank 2018, Data , homepage accessed 20/04/2018 |
| GDP (current US\$) | 2291321667 | GDP (current US\$) | The World Bank 2018, Data , homepage accessed 20/04/2018 |
| EPI 2018 score (0-100) | 33.78 | Environmental Performance Index | |
| WGI -Voice and Accountability (0-100) | 37.14 | Water Governance Indicator | Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, <i>The Worldwide Governance Indicators: Methodology and Analytical Issues</i> (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132 |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|--|-------|----------------------------|---|
| WGI -Political stability no violence (0-100) | 47.78 | Water Governance Indicator | Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132 |
| WGI - Government Effectiveness (0-100) | 20.19 | Water Governance Indicator | Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132 |
| WGI - Regulatory Quality (0-100) | 38.46 | Water Governance Indicator | Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132 |
| WGI - Rule of Law (0-100) | 47.60 | Water Governance Indicator | Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132 |
| WGI - Control of Corruption (0-100) | 57.69 | Water Governance Indicator | Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: https://ssrn.com/abstract=1682132 |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|-------|---------------------------------|--|
| WRI BWS all industries (0-5) | 3.97 | WRI Baseline Water Stress (BWS) | Gassert, F., P. Reig, T. Luo, and A. Maddocks. 2013. "Aqueduct country and river basin rankings: a weighted aggregation of spatially distinct hydrological indicators." Working paper. Washington, DC: World Resources Institute, December 2013. Available online at http://wri.org/publication/aqueduct-country-river-basin-rankings . |
| WRI BWS Ranking (1=very high) | 37 | WRI Baseline Water Stress (BWS) | Gassert, F., P. Reig, T. Luo, and A. Maddocks. 2013. "Aqueduct country and river basin rankings: a weighted aggregation of spatially distinct hydrological indicators." Working paper. Washington, DC: World Resources Institute, December 2013. Available online at http://wri.org/publication/aqueduct-country-river-basin-rankings . |
| Baseline Water Stress (BWS) - 2020 BAU (1=very high) | 90 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2020 Optimistic (increasing rank describes lower risk) | 87 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2020 Pessimistic (increasing rank describes lower risk) | 91 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|--|-------|---------------------|--|
| Baseline Water Stress (BWS) - 2030 BAU (increasing rank describes lower risk) | 88 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2030 Optimistic (increasing rank describes lower risk) | 84 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2030 Pessimistic (increasing rank describes lower risk) | 88 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2040 BAU (increasing rank describes lower risk) | 78 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2040 Optimistic (increasing rank describes lower risk) | 84 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |
| Baseline Water Stress (BWS) - 2040 Pessimistic (increasing rank describes lower risk) | 80 | WRI country ranking | Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings . |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|--|---------|------------------------------|---|
| Total water footprint of national consumption (m ³ /a/cap) | 1639.54 | WFN Water Footprint Data | Mekonnen, M.M. and Hoekstra, A.Y. (2011) National water footprint accounts: The green, blue and grey water footprint of production and consumption, Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands. http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf |
| Ratio external / total water footprint (%) | 5.27 | WFN Water Footprint Data | Mekonnen, M.M. and Hoekstra, A.Y. (2011) National water footprint accounts: The green, blue and grey water footprint of production and consumption, Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands. http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf |
| Area equipped for full control irrigation: total (1000 ha) | 2.64 | Aquastat - Irrigation | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| Area equipped for irrigation: total (1000 ha) | 2.64 | Aquastat - Irrigation | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| % of the area equipped for irrigation actually irrigated (%) | 2.54 | Aquastat - Irrigation | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| Electricity production from hydroelectric sources (% of total) | 0.00 | World Development Indicators | The World Bank 2018, Data , homepage accessed 20/04/2018 |
| Total internal renewable water resources (IRWR) (10 ⁹ m ³ /year) | 5.23 | Aquastat - Water Ressources | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| Total internal renewable water resources (IRWR) (10 ⁹ m ³ /year) | -2.21 | Aquastat - Water Ressources | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| Water resources: total external renewable (10 ⁹ m ³ /year) | 5.23 | Aquastat - Water Ressources | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |

Country Overview - Lesotho

| Indicator | Value | Description | Source |
|---|---------|-----------------------------|--|
| Total renewable water resources (10 ⁹ m ³ /year) | 3.02 | Aquastat - Water Ressources | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| Dependency ratio (%) | 0.00 | Aquastat - Water Ressources | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| Total renewable water resources per capita (m ³ /inhab/year) | 1415.00 | Aquastat - Water Ressources | FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13 |
| World happiness [0-8] | 3.81 | WorldHappinessReport.org | World Happiness Report, homepage accessed 20/04/2018 |

Country Aspects

1. PHYSICAL ASPECTS

1.1. WATER RESOURCES

1.1.1. WATER RESOURCES

Lesotho is located entirely within the Orange River Basin. The major sub-basin river systems in Lesotho are:

-The Senqu (Orange), which drains two-thirds of Lesotho (24,485km²), originates in the extreme north of the country and leaves Lesotho near Quthing. In its catchment area, four large dams will be constructed under the Lesotho Highlands Water Project (LHWP).

-The Makhaleng, with a catchment area of 2,911km², originates in the vicinity of Mount Machache and leaves the country near Mochale Hoek.

-The Mochale (or Caladon) marks the border with South Africa and has a catchment area of 6,890km². It springs from Mount Aux Sources, and leaves Lesotho near Wepener. All its major tributaries are located in Lesotho.

The Lets'eng-la-Letsie wetland in the Quthing district was tentatively designated as a RAMSAR site by the government as part of its accession to the RAMSAR Convention.

Lesotho's natural renewable water resources are estimated at 5.23km³/yr, by far exceeding its water demand. Due to Lesotho's commitments in the framework of the LHWP, its actual water resources will have decreased to 3.03km³/yr by 2020.

Groundwater resources are estimated at 0.5km³/yr. Aquifer yields are low: of a sample of 818 wells, only 12 per cent yielded above 1l/s; average well depth was 65m in intrusive, sedimentary or volcanic rock, and 28m in alluvial rock. In 1995, about 3300 wells, equipped with hand-pumps, served the rural population in the lowlands, while 10 per cent of the urban municipal production originated from groundwater. Except for the area around Maputsoe (aquifer yield 50l/s), the potential for irrigation with groundwater in Lesotho is low.

Major dams have been constructed in the framework of Phase I of LHWP:

-Katse Dam in the Central Maluti Mountains was completed in May 1997. It is a concrete arch dam, 185m high, with 710m crest length and a storage capacity of 1.95km³. It impounds the Malibamatso River catchment (1,866km²);

-Mochale Dam is a concrete faced rockfill dam, 145m high, with 540m crest length. It impounds the Senqunyane River catchment (938km²) and has a storage capacity of 0.86km³;

-Muela Dam, a 55m high, 6 million m³ capacity dam acts as the tailpond of the Muela hydropower station.

Phases II, III and IV of the project foresee the construction of Mashai Dam (3.3km³), Tsoelike Dam (2.22km³) and Ntoahae Dam.

1.1.2. WATER USE

In 2000, the total water withdrawal was estimated at 43.6 million m³. Industry is the main water user with 22 million m³ (51 per cent) followed by municipalities with 21 million m³ (48 per cent) and agriculture with only 0.6 million m³ (1 per cent).

1.2. WATER QUALITY, ECOSYSTEMS AND HUMAN HEALTH

Lesotho's ecology is fragile because of the mountainous topography, the thin soil layer and the limited vegetative cover. Population pressure has forced settlement in marginal areas, resulting in overgrazing, severe soil erosion, soil exhaustion and desertification.

Poor management practices and infrastructure improvements have had serious negative impacts on water resources, through the destruction of wetlands and their hydrological functions, changes in water regimes due to overgrazing and inappropriate cropping practices, and increased sediment production caused by mining and road construction.

Water pollution by slurry from diamond mines is recognized as an environmental problem.

2. GOVERNANCE ASPECTS

2.1. WATER INSTITUTIONS

The institutions involved in the irrigation sub-sector are:

-The Irrigation Section in the Engineering Division of the Crops Department of the Ministry of Agriculture and Food Security (MAFS) is involved in the investigation of new irrigation technologies that can be applied in Lesotho. Its maintenance and repair workshop has the capacity to repair irrigation equipment. There is a lack of appropriate equipment for planning and design.

-The Engineering Division of the Crops Department of MAFS itself provides planning, design and implementation support for, amongst many other things, irrigation.

-The Agronomy and Horticulture Divisions of the Crops Department of MAFS also have potential links to irrigation development.

-The Soil and Water Conservation Division of the Department of Conservation, Forestry and Land Use Planning of MAFS is involved in irrigation development as far as dam planning, design and construction (using its own equipment) is concerned. Unlike the Irrigation Section, this Division has qualified staff engaged on small dam design and implementation.

-The Extension Division of the Department of Field Services of MAFS is involved in irrigation through its decentralized District Agricultural Offices (DAOs) in the 10 districts. These offices do not have designated posts for irrigation and thus no extension service in irrigation as such exists. The DAOs meet irrigation information needs through staff with general qualifications, who are limited in undertaking irrigation activities due to lack of skills and expertise.

-The Agricultural Research Division of the Department of Field Services of MAFS has an Irrigation Unit in its Engineering Section. One of its aims is to provide smallholder farmers with appropriate irrigation technologies and services to improve irrigation systems and, by doing so, productivity. However, activities related to irrigation systems are very limited due to lack of staff qualified in irrigation.

Irrigation services are available from a number of departments and units in MAFS but are uncoordinated and poorly resourced. The situation deteriorates the further away from the Maseru Headquarters a service is located, because specialist staff are difficult to attract to rural districts. Few officers have specialist knowledge of the economics of irrigation schemes. If the irrigation strategy of the government is to benefit all farmers including those in remote rural areas it will be necessary to provide properly staffed irrigation teams in each district.

2.2. WATER MANAGEMENT

It was found in the Irrigation Community Action Programmes, which are being developed in mountain districts under the IFAD-funded Sustainable Agricultural Development Programme for Mountain Areas (SADPMA), that there are organizational and/or administrative problems because farmers are not organized into formal structures, let alone a legal entity, and therefore there are no regulations. This should be of primary importance however, as the farmers share water storage and conveyance facilities and some form of regulatory framework is needed to manage these facilities.

The need for proper management of water resources at all levels has come to be understood as one of the most important problems in the sector. It must be overcome before the full potential for agriculture in the country can be realized.

2.3. WATER POLICY AND LEGAL FRAMEWORK

Currently the National Irrigation Policy of the government is in disarray, as the government and its donors recognize that previous policies have failed, but so far no comprehensive alternative has been developed. It is however government strategy to wean farmers away from growing traditional cereals and move to high value crops.

A proposed mission statement for Lesotho's irrigation policy is: "To manage and develop water and land resources for diversified economically sound and sustainable irrigation and drainage systems under organized smallholders and private commercial farmer management and to maintain an effective advisory service."

In Lesotho, all land is owned by the people and allocated by and through the traditional structure of chieftainship. Until very recently, when new forms of land holding were introduced, there was little legal (as opposed to customary) security for the tenants. For irrigation projects this has had major consequences, as the high fixed costs of providing the systems are only justifiable when the benefits can be shared between many recipients. The existing framework of land tenure is not likely to change rapidly and thus any effective irrigation scheme would in the short to medium term have to work within it.

The National Environmental Policy of Lesotho recognized that the sustainable development of small-scale irrigation schemes, based on surface water resources via the construction of small dams and diversion of rivers, is totally dependent on the improvement and stabilization of soil conservation and forestation measures in the catchment areas serving these schemes and adopted this as a guiding principle for water resources management. Furthermore, regular audits of, among other things, irrigation schemes shall be undertaken with the aim of ensuring that they comply with this environmental policy.

The main legislation in the water sector is the 1978 Water Resources Act, which provides for use, control and conservation of water resources. However, legislation relevant to water resources is scattered over several orders and acts administered by different departments without any consistency or overall guidelines. Another piece of legislation dealing with water resources is the LHWP Treaty entered into by Lesotho and South Africa. The treaty provides for the protection of the quality and quantity of water in the LHWP area, but does not consider other relevant components of the utilization of shared water courses between the two countries.

3. GEOPOLITICAL ASPECTS

Lesotho is a small land-locked mountainous country completely surrounded by the Republic of South Africa.

Lesotho is part of the Southern African Development Community (SADC) region, with 13 other states, although only 12 of those states are located on the Southern African subcontinent: these are the republics of Angola, Botswana, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe; the United Republic of Tanzania and the Democratic Republic of Congo; as well as the kingdom of Swaziland (Nakayama, 2003).

The Orange River Basin has four basin states – namely, the Kingdom of Lesotho and the republics of Botswana, Namibia, and South Africa – and the most notable development in recent years is the Lesotho Highlands Water Project (LHWP). In spite of the international status of the Orange River system, international cooperation on the development of the river did not start until 1978, when Lesotho and South Africa established a Joint Technical Committee (JTC) to investigate the feasibility of the proposed LHWP (Nakayama, 2003).

The LHWP Treaty was signed by the governments of Lesotho and of the Republic of South Africa in 1986. The project is aimed at harnessing the water resources of the highlands of Lesotho to the mutual advantage of South Africa and Lesotho, transferring water to South Africa to alleviate its water shortage while providing Lesotho with facilities to generate its own electricity. After completion of all phases by 2020 the project will convey 2.2km³/yr (66 m³/s) of water to South Africa. The Treaty provides for negotiations to be held between Lesotho and South Africa before further phases of the LHWP can be implemented. Such negotiations are ongoing, and as South Africa has reduced its forecasts for population growth, the water demand is growing more slowly than previously expected and Phase II of the LHWP will start later.

In 1994, the SADC decided to create a Water Sector Coordinating Unit (WSCU) in Lesotho to facilitate integrated water-resource management and development in the region. One of the first

major achievements of the WSCU was the finalization, signing, ratification, and entry into force of the SADC Protocol on Shared Watercourse Systems in the Southern Africa Development Community Region (Nakayama, 2003).

Lesotho, together with Botswana, Namibia, and South Africa, is located in the Orange River Basin, and consequently a member of the Orange-Sengu River Commission (ORASECOM) created in 2000, which was signed on 3 November 2001 at Okapuka near Windhoek in Namibia. In general, the major objectives of these river-basin commissions are to direct studies on the natural resource potential of a river basin and to formulate an appropriate strategy leading to an integrated, equitable, economically viable, technically sound, and environmentally sustainable development plan to utilize all the resources of a river basin to the benefit of each basin state and to that of the basin as a whole (Nakayama, 2003).

4. SOURCES

Aquastat - FAO. 2005. Available at: <http://www.fao.org/nr/water/aquastat/main/index.stm> [accessed February 29 2012]

Nakayama, M. 2003. International Waters in Southern Africa. The United Nations University Press.